

POWERPOLES AND POWERPOSTS

PowerPoles and PowerPosts are a practical and elegant solution for the management of power, data and communication services to island workstations.



SERIES 1 POWERPOLES

Square Series 1 PowerPoles can be single or double-sided and are a practical solution for the management of power, data and communication services to island work stations.

Product information

- Aluminium body for strength and rigidity
- Suitable for suspended and solid ceiling applications
- Cabling can be fed from the ceiling, from the floor or both
- Supplied with 6 accessory boxes
- Standard 3.6m pole includes ceiling fixing bracket
- Pole extension kit available to extend up to 5m
- Can be subdivided and screened between services
- Flush accessories

Standard finish Series 1	
ANWH	WHWH
ANWH • Anodised body • White fittings	WHWH • White body • White fittings

Series 1 PowerPoles



PowerPole – Series 1 square single-sided


code	pack
PPS36001ANWH	1
with 250mm adjustable slide	
PPS36001WHWH	1
with 250mm adjustable slide	

Height: Maximum height of Series 1 PowerPoles is 3686mm. For additional heights within ceiling voids, a 1m adjusting slide is available (PHAS2) – see the accessories on page 189

Note: Supplied with with 6 accessory boxes

Material: Aluminium body with PVC-U covers

Finish: White powder coat or natural anodised finish



PowerPole – Series 1 square double-sided

code	pack
PP36001ANWH	1
with 250mm adjustable slide	
PP36001WHWH	1
with 250mm adjustable slide	

Height: Maximum height of Series 1 PowerPoles is 3686mm. For additional heights within ceiling voids, a 1m adjusting slide is available (PHAS2) – see the accessories on page 189

Note: Supplied with 6 accessory boxes

Material: Aluminium body with PVC-U covers

Finish: White powder coat or natural anodised finish



Extension kit double-sided (1400mm) for Series 1 PowerPoles

code	pack
PP1400EAN	anodised 1
PP1400EWH	white 1

POWERPOLES AND POWERPOSTS

Fixing system

An adjustable slide fixing system to the ceiling is included with the PowerPole.



SERIES 2 POWERPOLES

Elliptical double-sided Series 2 PowerPoles are an elegant solution for the management of power, data and communication services to island work stations.

Product information

- Aluminium body for strength and rigidity
- Suitable for suspended and solid ceiling applications
- Cabling can be fed from the ceiling, from the floor or both
- Doors included to hide sockets
- Supplied with 14 accessory boxes and pre-installed with dividing fillets
- Standard 3.6m pole includes ceiling fixing bracket
- Can be subdivided and screened between services
- Flush accessories

Standard finish Series 2	
ANWH	WHWH
ANWH • Anodised body • Anodised doors • White fittings	WHWH • White body • White doors • White fittings

Series 2 PowerPoles



PowerPole – Series 2 elliptical double-sided

code	pack
NPPE36001441ANWH	1
NPPE36001441WHWH	1

Height: Maximum height of Series 2 PowerPoles is 3686mm. For additional heights within ceiling voids, a 1m adjusting slide is available (PHAS2) – see the accessories on page 189

Note: Supplied complete with 14 accessory boxes and a further 14 boxes can be accommodated

Material: Aluminium body and doors

Finish: White powder coat or natural anodised finish

Dividing fillets: dividing fillets are pre-installed

POWERPOLES AND POWERPOSTS



POWERPOSTS

PowerPosts are a practical and elegant solution for the management of power, data and communication services to island work stations.

Product information

- PowerPosts are suitable for all floor applications
- Designed to fit below standard desk height
- Flush accessories available – see page 189

Standard finish	
ANWH	WHWH
ANWH • Anodised body • White fittings	WHWH • White body • White fittings

PowerPost



PowerPost square double-sided

code	pack
PP685ANWH	1
PP685WHWH	1

Height: Overall height of PowerPost including cap and foot is 692mm

Note: PowerPost is supplied with 6 accessory boxes

Material: Aluminium body with PVC-U covers

Finish: White powder coat or natural anodised finish

POWERPOLES AND POWERPOSTS

Specialised PowerPost Solutions

Our Technical Team will work with architects, design teams and contractors to create pre-fabricated solutions designed to save time on site. PowerPosts can be adapted to be ceiling-mounted or horizontally mounted. See pages 45 and 47 for further details or contact our Technical Team on +44 (0)1424 856688 to discuss your project or request a quotation.



POWERPOLE AND POST ACCESSORIES

Components



Accessory box spacer

code	pack
ES1WH	4

For use between accessory boxes.



Dividing fillet single sided

code	pack
ELDF200	8 x 3m

For Series 1 single sided pole.



Dividing fillet double-sided

code	pack
EDF1	8 x 3m

For Series 1 double-sided pole or post.



Adjusting slide

code	size	pack
PHAS2	1150mm	1

To extend the overall height of Series 1 or 2 PowerPoles by up to 1m.

Boxes (Series 1 and 2)



***RCD/MCB housing**

code	pack
EAHC1MWH	1

*Up to 4 modules can be housed

Note: RCD not supplied by Marshall-Tufflex



1 gang accessory box

code	depth	pack
ESSB1WH	30mm	20



1 gang adjustable box

code	depth	pack
EAB1WH	32 – 47mm	10

Please see page 123 for more information on the range of adjustable boxes



Wired 13Amp 1 gang vertical mount switched socket

code	depth	pack
ESS11WH	30mm	1



Vertical mounted flush data module 2 x RJ45

code	size	pack
EM526WH	37 x 22mm	1

Screened boxes

Screening

Conductive spray (CS) is unique to Marshall-Tufflex and is applied in the factory to assist with screening from electromagnetic interference to data and communications cabling within trunking systems. The coating is applied to a range of data boxes, covers, clip-on components and fabricated fittings.

WARNING: A CS coating is not suitable for low voltage circuits. As per the current version of BS 7671 wiring regulations. For data/voice use only.



1 gang screened accessory box

code	depth	pack
ESSB1SWH*	30mm	20

1 gang screened adjustable box

code	depth	pack
EAB1SWH*	32 – 40mm	1

*Supplied complete with earth terminal

EAB1S is fully adjustable to 47mm. Please see page 261 for more information.

POWERPOLES AND POWERPOSTS

p274
Technical Information

Contact our team

Our office opening hours are 8am to 5pm Monday to Friday

Customer Services

+44 (0)1424 856600

sales@marshall-tufflex.com

Technical Services

+44 (0)1424 856688

technical@marshall-tufflex.com

Technical support

Our Technical Team consists of qualified Electricians, Electrical and Mechanical Engineers with many years experience of cable management installations including an understanding of the regulations and compliancy to standards in both domestic and commercial sectors. The team can advise on a wide range of solutions and technical issues, product standards, data cabling control and Part M compliancy.

We pride ourselves on providing and supplying our customers with specialist solutions to suit a variety of needs and the team's expertise enables us to provide quotations for specialist solutions. We aim to complete all standard quotes within 1 working day, although more complex quotations such as 'take offs' can take longer.



First class customer service

Our Customer Service Team are on hand to advise on stock availability, lead times, delivery schedules and order fulfilment.



BIM (Building Information Modelling)

3D Autodesk Revit models are now available to download for Marshall-Tufflex products, with the necessary technical product data for them to be easily specified and integrated into a construction project.

Visit www.marshall-tufflex.com or www.bimstore.co.uk



Same day collection*



Our popular same day collection service gives our customers an unrivalled two-hour turnaround on product orders, allowing them to collect from our dedicated collection points in Manchester and London. Orders can also be collected next day from our Hastings depot.

Manchester

Europa Trading Estate, Stoneclough Road, Radcliffe, Manchester M26 1GG

London

101c Blackhorse Lane, London E17 6DJ

- Orders can be collected two hours after order placement from Manchester and London.
- Orders received by 5pm will be ready for collection from 10am the following day.

Hastings

55-65 Castleham Road, St Leonards-on-Sea TN38 9NU

- Orders placed by 12.30pm can be collected from 10am the next day from our Hastings depot.

* Subject to stock availability



Follow us on
Twitter @MTufflex

For details regarding collections, please contact our Customer Services team on +44 (0)1424 856600 or email sales@marshall-tufflex.com